

# **SAFETY DATA SHEET**

# Section 1. Identification

CHS Inc. P.O. Box 64089 Mail station 525 St. Paul, MN 55164-	0089	Transportation Emergency (CHEMTREC) Technical Information SDS Information	::	1-800-424-9300 1-651-355-8443 1-651-355-8445
Product name	: Commercial Turbine XL 150, 220, 320	SDS no.	:	1020-093788.HL
Common name	: Industrial turbine oil	Revision date	:	06/23/2015
Chemical name	: Lubricating oil.	Chemical formula	:	Mixture
Chemical family	: Hydrocarbon.			

Relevant identified uses of the substance or mixture and uses advised against

Lubricant.

## Section 2. Hazards identification

OSHA/HCS status	:	1200), this SD	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910. 1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.				
Classification of the substance or mixture	:	Not classified.					
GHS label elements							
Signal word	:	No signal word	J.				
Hazard statements	:	No known sigr	nificant effects	or critica	I hazards.		
Precautionary statements							
General	:	Read label bet label at hand.	fore use. Keep	o out of r	each of children. If me	dical a	dvice is needed, have product container or
Prevention	:	Not applicable					
Response	:	Not applicable					
Storage	:	Not applicable					
Disposal	:	Not applicable					
Hazards not otherwise classified (HNOC)	:	None known.					
Hazardous Material Information Sy	stei	m (U.S.A.)	Health :	0	Flammability :	1	Physical hazards: 0
National Fire Protection Association	n (l	J.S.A.)	Health :	0	Flammability :	1	Instability: 0
	9	Section 3. C	ompositio	n/infor	mation on ingred	ients	i

Substance/mixture	: Mixture			
Chemical name	: Lubricating oil.			
Other means of identification	: Industrial turbine oil			
Any concentration shown as a range is to protect confidentiality or is due to batch variation.				

There are no ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

## Section 4. First aid measures

Description of necessary first aid mea	isures
Eye contact	: If material comes in contact with the eyes, immediately wash the eyes with large amounts of water for 15
Inhalation	<ul> <li>minutes, occasionally lifting the lower and upper lids. Get medical attention.</li> <li>If person breathes in large amounts of material, move the exposed person to fresh air at once. If breathing has stopped, perform artificial respiration. Keep the person warm and at rest. Get medical attention as soon as</li> </ul>
Skin contact	<ul> <li>possible.</li> <li>If the material comes in contact with the skin, wash the contaminated skin with soap and water promptly. If the material penetrates through clothing, remove the clothing and wash the skin with soap and water promptly. If irritation persists after washing, get medical attention immediately.</li> </ul>
Ingestion	: If material has been swallowed, do not induce vomiting. Get medical attention immediately.
Most important symptoms/effects, ac	ute and delayed
Potential acute health effects	
Eye contact	: No known significant effects or critical hazards.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: No known significant effects or critical hazards.
Ingestion	: No known significant effects or critical hazards.
Over-exposure signs/symptoms	
Eye contact	: Adverse symptoms may include the following: pain or irritation, watering, redness.
Inhalation	: Adverse symptoms may include the following: respiratory tract irritation, coughing.
Skin contact	: Adverse symptoms may include the following: irritation, redness.
Ingestion	: No known significant effects or critical hazards.
Indication of immediate medical atte	ention and special treatment needed, if necessary
Notes to physician	<ul> <li>Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingeste or inhaled.</li> </ul>
Specific treatments	: No specific treatment.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training.
See toxicological information (Secti	on 11)
	Section 5. Fire-fighting measures
Extinguishing media	
Suitable extinguishing media	: Use water spray to cool fire exposed surfaces and to protect personnel. Foam, dry chemical or water spray (fog) to extinguish fire.
Unsuitable extinguishing media	: None known.
Specific hazards arising from the che	mical : Toxic fumes gases or vapors may evolve on burning.
Hazardous thermal decomposition pr	oducts : No specific data.
Special protective actions for fire-figh	ters : When fighting fires wear full turnout gear and self contained breathing apparatus. Water may cause splattering. Material floats on water.
Special protective equipment for fire-fi	ghters : Not applicable.
	Section 6. Accidental release measures
Personal precautions, protective equi	pment and emergency procedures
For non-emergency personnel	: Keep unnecessary and unprotected personnel from entering. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
Methods and materials for containme	
Spill	: Contain with dikes or absorbent to prevent migration to sewers/streams. Take up small spill with dry chemica absorbent; large spills may require pump or vacuum prior to absorbent. May require excavation of severely contaminated soil.
	Section 7. Handling and storage
Precautions for safe handling	
Protective measures	: Put on appropriate personal protective equipment (see Section 8). Do not get in eyes or on skin or clothing.

#### Commercial Turbine XL 150,220,320

Conditions for safe storage, including any incompatibilities

: Do not store above the following temperature: 113°C (235.4°F). Odorous and toxic fumes may form from the decomposition of this product if stored at excessive temperatures for extended periods of time. Store in accordance with local regulations. Store in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10). Use appropriate containment to avoid environmental contamination.

#### Section 8. Exposure controls/personal protection

Control parameters	
· ·	
Occupational exposure limits	
None.	
Appropriate engineering controls	: Use only with adequate ventilation.
Environmental exposure controls	: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation.
Individual protection measures	
Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	: Recommended: Splash goggles and a face shield, where splash hazard exists.
Skin protection	
Hand protection	: 4 - 8 hours (breakthrough time): Nitrile gloves.
Body protection	: Recommended: Long sleeved coveralls.
Other skin protection	: Recommended: Impervious boots.
Respiratory protection	: If ventilation is inadequate, use a NIOSH-certified respirator with an organic vapor cartridge and P95 particulate filter.

### Section 9. Physical and chemical properties

Appearance		Relative density	: 0.86 to 0.88
Physical state	: Liquid.	Evaporation rate	: <1 (Butyl acetate = 1)
Color	: Amber.	Solubility	: Insoluble in the following materials: cold water and hot water.
Odor	: Mild.	Solubility in water	: Insoluble
Odor threshold	: Not available.	Partition coefficient: n-	: Not available.
рН	: Not available.	octanol/water	
Melting point	: Not available.	Auto-ignition temperature	: >260°C (>500°F)
Boiling point	: Not available.	Decomposition temperature	: Not available.
Flash point	: Closed cup: >200°C (>392°F)	SADT	: Not available.
Flammability	: Not available.	Viscosity	: Not available.
Lower and upper	: Not available.	Vapor pressure	: <0.13 kPa (<1 mm Hg) (68°F)
explosive (flammable) limits		Vapor density	: Not available.

# Section 10. Stability and reactivity

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	:	The product is stable.
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	:	No specific data.
Incompatible materials	:	Reactive or incompatible with the following materials: oxidizing materials.
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Information on toxicological e	effects
Acute toxicity	
There is no data available.	
Irritation/Corrosion	
Skin	: There is no data available.
Eyes	: There is no data available.
Respiratory	: There is no data available.
Sensitization	
Skin	: There is no data available.
Respiratory	: There is no data available.
<b>Mutagenicity</b>	
There is no data available.	
<b>Carcinogenicity</b>	
There is no data available.	
Reproductive toxicity	
There is no data available.	
<b>Teratogenicity</b>	
There is no data available.	
Specific target organ toxicit	<u>y (single exposure)</u>
There is no data available.	
Specific target organ toxicit	<u>y (repeated exposure)</u>
There is no data available.	
Aspiration hazard	
There is no data available.	
Information on the likely rou exposure	<b>ites of</b> : Dermal contact. Eye contact. Inhalation. Ingestion.
	Section 12. Ecological information
Toxicity	
There is no data available.	
Persistence and degradabilit	Υ
There is no data available.	
<b>Bioaccumulative potential</b>	
There is no data available.	
<u>Mobility in soil</u>	

#### <u>Mobility in soil</u>

Soil/water partition coefficient (Koc)

: There is no data available.

# Other adverse effects : No known significant effects or critical hazards.

# Section 13. Disposal considerations

**Disposal methods** 

: Disposal of this product, solutions and any by-products should comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

OT IDENTIFICATION NUMBER	د Not applicable.	DOT proper s	hipping na	me Not a	applicable.		
OT Hazard Class(es) Not ap	plicable.	PG Not app	licable.	DOT	EMER. RESPONS		. Not applicable
	Sec	tion 15. Reg	ulatory ir	formatio	ı		
S. Federal regulations	TSCA 8(a) CDF United States i	R: 2-Butenedioic R Exempt/Partia	acid (E)-, d I exemption ( 8b): All co	-C8-18-alkyl 1: Not detern	esters; Diphenylam		
an Air Act Section 602 Class I an Air Act Section 602 Class II an Air Act Section 112(b) Haza BARA 302/304	Substances : Not	t listed DI		•	ecursor Chemicals ssential Chemicals	,	Not listed Not listed
Composition/information on	<u>ingredients</u>						
				SARA 302	2 TPQ	SARA 304	I RQ
Name		%	EHS	(lbs)	(gallons)	(lbs)	(gallons)
Vinyl acetate		0 - 0.1	Yes.	1000	129	5000	644.8
SARA 304 RQ SARA 311/312	: 11111111111.11	bs / 504444444.4	4 kg [15317	2556.3 gal /	579821200.5 L]		L
Hazard classifications Composition/information on	: Not applicable.						
No products were found.	ingreatents						
SARA 313					o the reporting requ Act of 1986 and of		ARA Section 313
Product name		CAS	number	%			
Not applicable.							

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

## State regulations

Massachusetts	: None of the components	None of the components are listed.					
New York	: None of the components	None of the components are listed.					
New Jersey	: The following component	The following components are listed: Distillates (petroleum), hydrotreated heavy paraffinic					
Pennsylvania	: None of the components	: None of the components are listed.					
California Prop. 65	: <b>WARNING:</b> This product cancer.	: WARNING: This product contains less than 0.1% of a chemical known to the State of California to cause cancer.					
Ingredient name	Cancer	Reproductive	No significant risk level	Maximum acceptable dosage level			
Vinyl acetate Ethyl acrylate	Yes. Yes.	No. No.	No. No.	No. No.			

## Section 14. Transport information

#### Section 16. Other information

Revision date	: 06/23/2015	Supersedes : 09/20/2000
Revised Section(s)	: 1-16	Prepared by : KMK Regulatory Services Inc.
Mada to seales		

Notice to reader THE INFORMATION CONTAINED IN THIS SDS RELATES ONLY TO THE SPECIFIC MATERIAL IDENTIFIED. IT DOES NOT COVER USE OF THAT MATERIAL IN COMBINATION WITH ANY OTHER MATERIAL OR IN ANY PARTICULAR PROCESS. IN COMPLIANCE WITH 20 C.F.R. 1910.1200(g), CHS HAS PREPARED THIS SDS IN SEGMENTS, WITH THE INTENT THAT THOSE SEGMENTS BE READ TOGETHER AS A WHOLE WITHOUT TEXTUAL OMISSIONS OR ALTERATIONS. CHS BELIEVES THE INFORMATION CONTAINED HEREIN TO BE ACCURATE, BUT MAKES NO REPRESENTATION, GUARANTEE, OR WARRANTY, EXPRESS OR IMPLIED, ABOUT THE ACCURACY, RELIABILITY, OR COMPLETENESS OF THE INFORMATION OR ABOUT THE FITNESS OF CONTENTS HEREIN FOR EITHER GENERAL OR PARTICULAR PURPOSES. PERSONS REVIEWING THIS SDS SHOULD MAKE THEIR OWN DETERMINATION AS TO THE MATERIAL'S SUITABILITY AND COMPLETENESS FOR USE IN THEIR PARTICULAR APPLICATIONS.