

# **SAFETY DATA SHEET**

## Section 1. Identification

CHS Inc. P.O. Box 64089 Mail station 525		Transportation E	Transportation Emergency (CHEMTREC) Technical Information		1-800-424-9300 1-651-355-8443
				:	1-651-355-8445
St. Paul, MN 55164	-008	9	SDS Information	•	1-031-355-0445
Product name	:	Commercial AGMA 2EP, 4EP, 5EP, 6EP, 7EP, 8EP, ROCK DRILL	SDS no.	:	1023-G3A0.1
Common name	:	Industrial Gear Oil (All grades)	Revision date	:	08/15/2014
Chemical name	:	Lubricating Gear Oil.	Chemical formula	:	Mixture
Chemical family	:	Hydrocarbon.			
Relevant identified	use	s of the substance or mixture and uses advised against			
Lubricant.					
		Section 2. Hazards identifica	ation		
OSHA/HCS status		Section 2. Hazards identifica		rd (29 C	FR

OSHA/HCS status	: This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
Classification of the substance or mixture	: SKIN SENSITIZATION - Category 1A
GHS label elements	
Hazard pictograms	
Signal word	: Warning
Hazard statements	: May cause an allergic skin reaction.
Precautionary statements	
General	: Read label before use. Keep out of reach of children. If medical advice is needed, have product container or label at hand.
Hazardous Material Information	System (U.S.A.) Health : 1 * Flammability : 1 Physical hazards : 0
National Fire Protection Associa	tion (U.S.A.) Health : 1 Flammability : 1 Instability : 0
	Section 3. Composition/information on ingredients

Substance/mixture						
Chemical name	: Lubricating Gear Oil.	Lubricating Gear Oil.				
Other means of identification	: Industrial Gear Oil (All grades)					
Ingredient name		%	CAS number			
Long-chain alkyl amine		0.1 - 1	-			

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

## Section 4. First aid measures

Description of necessary first aid	i measures
Eye contact	If material comes in contact with the eyes, immediately wash the eyes with large amounts of water for 15 minutes, occasionally lifting the lower and upper lids. Get medical attention.
Inhalation	<ul> <li>If person breathes in large amounts of material, move the exposed person to fresh air at once. If breathing has stopped, perform artificial respiration. Keep the person warm and at rest. Get medical attention as soon as</li> </ul>
	stopped, perform artificial respiration. Keep the person warm and at rest. Get medical attention as soon as possible.
Skin contact	If the material comes in contact with the skin, wash the contaminated skin with soap and water promptly. If the material penetrates through clothing, remove the clothing and wash the skin with soap and water promptly. If irritation persists after washing, get medical attention immediately.
Ingestion	: If material has been swallowed, do not induce vomiting. Get medical attention immediately.
Most important symptoms/effect	s, acute and delayed
Potential acute health effects	
Eye contact	: No known significant effects or critical hazards.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: May cause an allergic skin reaction.
Ingestion	: No known significant effects or critical hazards.
Over-exposure signs/symptom	<u>§</u>
Eye contact	: Adverse symptoms may include the following: pain or irritation, watering, redness.
Inhalation	: Adverse symptoms may include the following: respiratory tract irritation, coughing.
Skin contact	: Adverse symptoms may include the following: irritation, redness.
Ingestion	: No known significant effects or critical hazards.
Indication of immediate medica	al attention and special treatment needed, if necessary
Notes to physician	: Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	: No specific treatment.
Protection of first-aiders	<ul> <li>No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with wate before removing it, or wear gloves.</li> </ul>
See toxicological information (	Section 11)
	Section 5. Fire-fighting measures
Fratie en la blie e en alle	
Extinguishing media	
Suitable extinguishing media	: Use water spray to cool fire exposed surfaces and to protect personnel. Foam, dry chemical or water spray (fog) to extinguish fire.
Unsuitable extinguishing media	
Specific hazards arising from the	e chemical : Toxic fumes gases or vapors may evolve on burning.
Hazardous thermal decomposition	on products : No specific data.

Special protective equipment for fire-fighters

Special protective actions for fire-fighters

### cause splattering. Material floats on water. : Not applicable.

:

### Section 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

For non-emergency personnel : Keep unnecessary and unprotected personnel from entering. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

### Methods and materials for containment and cleaning up

Spill

: Contain with dikes or absorbent to prevent migration to sewers/streams. Take up small spill with dry chemical absorbent; large spills may require pump or vacuum prior to absorbent. May require excavation of severely contaminated soil.

When fighting fires wear full turnout gear and self contained breathing apparatus. Water may

## Section 7. Handling and storage

Precautions for safe handling	
Protective measures	<ul> <li>Put on appropriate personal protective equipment (see Section 8). Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate.</li> </ul>
Advice on general occupational hygiene	: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking.
Conditions for safe storage, including any incompatibilities	: Do not store above the following temperature: 113°C (235.4°F). Odorous and toxic fumes may form from the decomposition of this product if stored at excessive temperatures for extended periods of time. Store in accordance with local regulations. Store in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10). Use appropriate containment to avoid environmental contamination.
	Section 8. Exposure controls/personal protection

### **Control parameters**

E

<u>oontroi parameters</u>	
Occupational exposure limits	
None.	
Appropriate engineering controls	: Use only with adequate ventilation.
Environmental exposure controls	: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation.
Individual protection measures	
Hygiene measures	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	: Recommended: Splash goggles and a face shield, where splash hazard exists.
Skin protection	
Hand protection	: 4 - 8 hours (breakthrough time): Nitrile gloves.
Body protection	: Recommended: Long sleeved coveralls.
Other skin protection	: Recommended: Impervious boots.
Respiratory protection	: If ventilation is inadequate, use a NIOSH-certified respirator with an organic vapor cartridge and P95 particulate filter.

## Section 9. Physical and chemical properties

Appearance		Relative density	: 0.88 to 0.89
Physical state	Liquid.	Evaporation rate	: <1 (Ether = 1)
Color	Amber.	Solubility	: Insoluble in the following materials: cold water and hot water.
Odor	Mild.	Solubility in water	: Insoluble
Odor threshold	Not available.	Partition coefficient: n-	: Not available.
рН	Not available.	octanol/water	
Melting point	Not available.	Auto-ignition temperature	: >260°C (>500°F)
Boiling point	Not available.	Decomposition temperature	: Not available.
Flash point	Closed cup: >150°C (>302°F)	SADT	: Not available.
Flammability	Not available.	Viscosity	: Not available.
Lower and upper	Not available.	Vapor pressure	: <0.13 kPa (<1 mm Hg) (68°F)
explosive (flammable) limits		Vapor density	: Not available.

## Section 10. Stability and reactivity

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	:	The product is stable.
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	:	No specific data.
Incompatible materials	:	Reactive or incompatible with the following materials: oxidizing materials.

Hazardous decomposition products : Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11.	Toxicological	information
-------------	---------------	-------------

Information on toxicological effects		
Acute toxicity		
There is no data available.		
Irritation/Corrosion		
Skin	:	There is no data available.
Eyes	:	There is no data available.
Respiratory	:	There is no data available.
<u>Sensitization</u>		
Skin	:	There is no data available.
Respiratory	:	There is no data available.
<u>Mutagenicity</u>		
There is no data available.		
<u>Carcinogenicity</u>		
There is no data available.		
Reproductive toxicity		
There is no data available.		
<u>Teratogenicity</u>		
There is no data available.		
Specific target organ toxicity (singl	e e	<u>xposure)</u>
There is no data available.		
Specific target organ toxicity (repea	ateo	<u>d exposure)</u>
There is no data available.		
Aspiration hazard		
There is no data available.		
Information on the likely routes of exposure	:	Dermal contact. Eye contact. Inhalation. Ingestion.

## Section 12. Ecological information

Toxicity	
There is no data available.	
Persistence and degradability	
There is no data available.	
Bioaccumulative potential	
There is no data available.	
Mobility in soil	
Soil/water partition coefficient (Koc)	: There is no data available.
Other adverse effects	: No known significant effects or critical hazards.
	Section 13. Disposal considerations

**Disposal methods** 

: Disposal of this product, solutions and any by-products should comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

#### Section 14. Transport information DOT IDENTIFICATION NUMBER Not applicable. DOT proper shipping name Not applicable. DOT EMER. RESPONSE GUIDE NO. Not applicable DOT Hazard Class(es) Not applicable. PG Not applicable. Section 15. Regulatory information TSCA 4(a) final test rules: 2-Butenedioic acid (E)-, di-C8-18-alkyl esters **U.S. Federal regulations** : TSCA 8(a) PAIR: 2-Butenedioic acid (E)-, di-C8-18-alkyl esters TSCA 8(a) CDR Exempt/Partial exemption: Not determined United States inventory (TSCA 8b): Not determined. Clean Water Act (CWA) 311: Vinyl acetate Clean Air Act Section 602 Class | Substances : Not listed **DEA List I Chemicals (Precursor Chemicals)** : Not listed **Clean Air Act Section 602 Class II Substances DEA List II Chemicals (Essential Chemicals)** : Not listed : Not listed Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs) : Not listed SARA 302/304 Composition/information on ingredients SARA 302 TPQ **SARA 304 RQ** Name % EHS (lbs) (gallons) (lbs) (gallons) Vinyl acetate 0 - 0.1 Yes. **SARA 304 RQ** : Not applicable. SARA 311/312 Classification : Immediate (acute) health hazard Composition/information on ingredients Name % Fire Sudden Reactive Immediate Delayed (chronic) hazard release of (acute) health pressure hazard health hazard Long-chain alkyl amine 0.1 - 1 No. No. No. Yes. No. This product (does/not) contain toxic chemicals subject to the reporting requirements of SARA Section 313 of **SARA 313** : the Emergency Planning and Community Right-To-Know Act of 1986 and of 40 CFR 372. Product name **CAS** number % Not applicable. SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed. State regulations Massachusetts : None of the components are listed. New York : None of the components are listed. The following components are listed: Residual oils (petroleum), solvent-dewaxed; Distillates (petroleum), New Jersey : hydrotreated heavy paraffinic; Distillates (petroleum), solvent-dewaxed heavy paraffinic Pennsylvania None of the components are listed. : California Prop. 65 • WARNING: This product contains less than 0.1% of a chemical known to the State of California to cause

cancer.

Ingredient name	Cancer	Reproductive	5	Maximum acceptable dosage level
Vinyl acetate	Yes.	No.	No.	No.

## Section 16. Other information

Revision date	: 08/15/2014	Supersedes	: 03/12/2002
Revised Section(s)	: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16.	Prepared by	: KMK Regulatory Services Inc.
Notice to reader			

Notice to reader THE INFORMATION CONTAINED IN THIS SDS RELATES ONLY TO THE SPECIFIC MATERIAL IDENTIFIED. IT DOES NOT COVER USE OF THAT MATERIAL IN COMBINATION WITH ANY OTHER MATERIAL OR IN ANY PARTICULAR PROCESS. IN COMPLIANCE WITH 29 C.F.R. 1910.1200(g), CHS HAS PREPARED THIS SDS IN SEGMENTS, WITH THE INTENT THAT THOSE SEGMENTS BE READ TOGETHER AS A WHOLE WITHOUT TEXTUAL OMISSIONS OR ALTERATIONS. CHS BELIEVES THE INFORMATION CONTAINED HEREIN TO BE ACCURATE, BUT MAKES NO REPRESENTATION, GUARANTEE, OR WARRANTY, EXPRESS OR IMPLIED, ABOUT THE ACCURACY, RELIABILITY, OR COMPLETENESS OF THE INFORMATION OR ABOUT THE FITNESS OF CONTENTS HEREIN FOR EITHER GENERAL OR PARTICULAR PURPOSES. PERSONS REVIEWING THIS SDS SHOULD MAKE THEIR OWN DETERMINATION AS TO THE MATERIAL'S SUITABILITY AND COMPLETENESS FOR USE IN THEIR PARTICULAR APPLICATIONS.