

# **SAFETY DATA SHEET**

Section 1. Identification

CHS Inc. P.O. Box 64089 Mail station 525 St. Paul, MN 55164	-0089	Transportation Emergency (CHEMTREC) Technical Information SDS Information	:	1-800-424-9300 1-651-355-8443 1-651-355-8445
Product name	: Commercial Tractor Fluid	SDS no.	:	1028-601941.HL
Common name	: Tractor Hydraulic Fluid	Revision date	:	10/28/2015
Chemical name	: Lubricating oil.	Chemical formula	:	Mixture
Chemical family	: Hydrocarbon.			

#### Relevant identified uses of the substance or mixture and uses advised against

Lubricant.

## Section 2. Hazards identification

OSHA/HCS status	:	1200), this SD	S contains v	aluable info		safe ha	ard Communication Standard (29 CFR 1910. andling and proper use of the product. This ers of this product.
Classification of the substance or mixture	:	Not classified.					
GHS label elements							
Signal word	:	No signal word	ł.				
Hazard statements	:	No known sign	ificant effect	s or critica	hazards.		
Precautionary statements							
General	:	Read label bef label at hand.	ore use. Ke	ep out of re	each of children. If me	dical a	dvice is needed, have product container or
Prevention	:	Not applicable	•				
Response	:	Not applicable					
Storage	:	Not applicable					
Disposal	:	Not applicable					
Hazards not otherwise classified (HNOC)	:	None known.					
Hazardous Material Information Sy	stei	m (U.S.A.)	Health :	0	Flammability :	1	Physical hazards: 0
National Fire Protection Association	on (l	J.S.A.)	Health :	0	Flammability :	1	Instability: 0

## Section 3. Composition/information on ingredients

Substance/mixture	: Mixture		
Chemical name	: Lubricating oil.		
Other means of identification	: Tractor Hydraulic Fluid		
Ingredient name		%	CAS number
Triphenyl phosphite		0.1 - 1	101-02-0

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

## Section 4. First aid measures

Description of necessary first aid measu	res			
	If material comes in contact with the eyes, immediately wash the eyes with large amounts of water for 15			
Inhalation :	minutes, occasionally lifting the lower and upper lids. Get medical attention. If person breathes in large amounts of material, move the exposed person to fresh air at once. If breathing has			
	topped, perform artificial respiration. Keep the person warm and at rest. Get medical attention as soon as			
Skin contact :	possible. If the material comes in contact with the skin, wash the contaminated skin with soap and water promptly. If the			
	material penetrates through clothing, remove the clothing and wash the skin with soap and water promptly. If			
	irritation persists after washing, get medical attention immediately. If material has been swallowed, do not induce vomiting. Get medical attention immediately.			
Most important symptoms/effects, acute				
Potential acute health effects				
Eye contact :	No known significant effects or critical hazards.			
	No known significant effects or critical hazards.			
	No known significant effects or critical hazards.			
Ingestion :	No known significant effects or critical hazards.			
Over-exposure signs/symptoms				
-	Adverse symptoms may include the following: pain or irritation, watering, redness.			
	Adverse symptoms may include the following: respiratory tract irritation, coughing.			
	Adverse symptoms may include the following: irritation, redness.			
•	No known significant effects or critical hazards.			
Indication of immediate medical attenti	on and special treatment needed, if necessary			
Notes to physician :	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingester or inhaled.			
Specific treatments :	No specific treatment.			
Protection of first-aiders :	No action shall be taken involving any personal risk or without suitable training.			
See toxicological information (Section	11)			
	Section 5. Fire-fighting measures			
<u>Extinguishing media</u>				
Suitable extinguishing media	: Use water spray to cool fire exposed surfaces and to protect personnel. Foam, dry chemical or water spray (fog) to extinguish fire.			
Unsuitable extinguishing media	: None known.			
Specific hazards arising from the chemic	al : Toxic fumes gases or vapors may evolve on burning.			
Hazardous thermal decomposition produ	ucts : No specific data.			
Special protective actions for fire-fighter				
Consistent and a still a service many fact first first	cause splattering. Material floats on water.			
Special protective equipment for fire-fight	ers : Not applicable.			
	Section 6. Accidental release measures			
Personal precautions, protective equipm	ent and emergency procedures			
For non-emergency personnel :	Keep unnecessary and unprotected personnel from entering. Avoid breathing vapor or mist. Provide adequate			
• • • •	ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.			
Methods and materials for containment	and cleaning up			
Spill :	Contain with dikes or absorbent to prevent migration to sewers/streams. Take up small spill with dry chemical absorbent; large spills may require pump or vacuum prior to absorbent. May require excavation of severely contaminated soil.			
	Section 7. Handling and storage			
Precautions for safe handling				
	Put on appropriate personal protective equipment (see Section 8). Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate.			

hygiene

#### **Commercial Tractor Fluid**

Conditions for safe storage, including any incompatibilities

: Do not store above the following temperature: 113°C (235.4°F). Odorous and toxic fumes may form from the decomposition of this product if stored at excessive temperatures for extended periods of time. Store in accordance with local regulations. Store in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10). Use appropriate containment to avoid environmental contamination.

## Section 8. Exposure controls/personal protection

Control parameters	
Occupational exposure limits	
None.	
Appropriate engineering controls	: Use only with adequate ventilation.
Environmental exposure controls	: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation.
Individual protection measures	
Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	: Recommended: Splash goggles and a face shield, where splash hazard exists.
Skin protection	
Hand protection	: 4 - 8 hours (breakthrough time): Nitrile gloves.
Body protection	: Recommended: Long sleeved coveralls.
Other skin protection	: Recommended: Impervious boots.
Respiratory protection	: If ventilation is inadequate, use a NIOSH-certified respirator with an organic vapor cartridge and P95 particulate filter.

## Section 9. Physical and chemical properties

Appearance		Relative density	: 0.88 to 0.89
Physical state	: Liquid.	Evaporation rate	: <1 (Butyl acetate = 1)
Color	: Amber	Solubility	: Insoluble in the following materials: cold wate and hot water.
Odor	: Mild.	Solubility in water	: Insoluble
Odor threshold	: Not available.	Partition coefficient: n-	: Not available.
рН	: Not available.	octanol/water	
Melting point	: Not available.	Auto-ignition temperature	: >260°C (>500°F)
Boiling point	: Not available.	Decomposition temperature	: Not available.
Flash point	: Closed cup: >205°C (>401°F)	SADT	: Not available.
Flammability	: Not available.	Viscosity	: Not available.
Lower and upper	: Not available.	Vapor pressure	: <0.13 kPa (<1 mm Hg) (68°F)
explosive (flammable) limits		Vapor density	: Not available.

## Section 10. Stability and reactivity

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	:	The product is stable.
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	:	No specific data.
Incompatible materials	:	Reactive or incompatible with the following materials: oxidizing materials.
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

#### Information on toxicological effects

#### Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Triphenyl phosphite	LD50 Oral	Rat	444 mg/kg	-

## Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Triphenyl phosphite	Eyes - Mild irritant	Rabbit	-	24 hours 500 mg	-
	Skin - Severe irritant	Human	-	48 hours 125 mg	-
	Skin - Moderate irritant	Rabbit	-	24 hours 20 mg	-
	Skin - Severe irritant	Rabbit	-	500 mg	-

#### **Sensitization**

Skin

There is no data available.There is no data available.

## Respiratory

**Mutagenicity** 

There is no data available.

#### **Carcinogenicity**

There is no data available.

## Reproductive toxicity

There is no data available.

#### **Teratogenicity**

There is no data available.

#### Specific target organ toxicity (single exposure)

There is no data available.

#### Specific target organ toxicity (repeated exposure)

There is no data available.

#### Aspiration hazard

There is no data available.

Information on the likely routes of : Dermal contact. Eye contact. Inhalation. Ingestion. exposure

## Section 12. Ecological information

<u>Toxicity</u>	
There is no data available.	
Persistence and degradability	
There is no data available.	
<b>Bioaccumulative potential</b>	
There is no data available.	
<u>Mobility in soil</u>	
Soil/water partition coefficient (Koc)	: There is no data available.
Other adverse effects	: No known significant effects or critical hazards.
	Section 13. Disposal considerations

**Disposal methods** : Disposal of this product, solutions and any by-products should comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

DOT IDENTIFICATION NUMBER Not applicable.	DOT pro	per shippiı	ng name	Not a	pplicable.		
DOT Hazard Class(es) Not applicable.	PG No	ot applicable	<b>)</b> .	DOT	EMER. RESPON	SE GUIDE NO. N	Not applicable
	Section 15.	Regulato	ry inform	ation			
TSCA 8(a) United Sta	) PAIR: 2-Butene ) CDR Exempt/P te inventory (TS ter Act (CWA) 3	artial exemp CA 8b): All	otion: Not de components	etermine			
	Not listed Not listed <b>ts (HAPs)</b>		t II Chemic	•	cursor Chemical sential Chemical	•	ot listed ot listed
SARA 302/304							
Composition/information on ingredients							
Vinyl acetate: %: 0-0.1; EHS: Yes; SARA 302 TPC	Q:1000 lbs/129 g	als; SARA 3	804 RQ: 500	0 lbs/6	44.8 gals.		
SARA 304 RQ : 55555555	.6 lbs / 2522222	22.2 kg					
SARA 311/312	.0 105 / 2522222	22.2 KY					
Hazard classifications : Not applica	able.						
Composition/information on ingredients							
Name	%	Fire hazard	Sudden release of pressure	:	Reactive	Immediate (acute) health hazard	Delayed (chronic) health hazar
Triphenyl phosphite	0.1 - 1	No.	No.		No.	Yes.	No.
					the reporting requ Act of 1986 and o		RA Section 313
Product name		CAS num	ber	%			
Zinc compounds		Mixture		0.13 as Zinc			
L SARA 313 notifications must not be detached from the notice attached to copies of the SDS subseque			nd redistribu	tion of	the SDS shall incl	l ude copying and	redistribution of
state regulations							
Manager Maria and Anna	e components a						
Massachusetts : None of th	0.00mpc======	re listêd					
New York : None of th	e components a		Nietillatos (no	trolour	n) hydrotroatod h		
New York: None of thNew Jersey: The follow	ing components	are listed: D	Distillates (pe	etroleur	n), hydrotreated h	eavy parannic	
New York: None of thNew Jersey: The followPennsylvania: None of thCalifornia Prop. 65: WARNING	ing components e components a	are listed: E re listed. ontains less	ŭ		n), hydrotreated h	51	ia to cause birth
New York: None of thNew Jersey: The followPennsylvania: None of thCalifornia Prop. 65: WARNING	ing components e components a : This product c	are listed: I re listed. ontains less ve harm.	ŭ	a chen	,, <b>,</b>	State of Californ	um acceptable

## Section 14. Transport information

## Section 16. Other information

Revision date	: 10/28/2015	Supersedes : 01/28/2015
Revised Section(s)	: 1, 2,16	Prepared by : KMK Regulatory Services Inc.
Notice to reader		

Notice to reader THE INFORMATION CONTAINED IN THIS SDS RELATES ONLY TO THE SPECIFIC MATERIAL IDENTIFIED. IT DOES NOT COVER USE OF THAT MATERIAL IN COMBINATION WITH ANY OTHER MATERIAL OR IN ANY PARTICULAR PROCESS. IN COMPLIANCE WITH 29 C.F.R. 1910.1200(g), CHS HAS PREPARED THIS SDS IN SEGMENTS, WITH THE INTENT THAT THOSE SEGMENTS BE READ TOGETHER AS A WHOLE WITHOUT TEXTUAL OMISSIONS OR ALTERATIONS. CHS BELIEVES THE INFORMATION CONTAINED HEREIN TO BE ACCURATE, BUT MAKES NO REPRESENTATION, GUARANTEE, OR WARRANTY, EXPRESS OR IMPLIED, ABOUT THE ACCURACY, RELIABILITY, OR COMPLETENESS OF THE INFORMATION OR ABOUT THE FITNESS OF CONTENTS HEREIN FOR EITHER GENERAL OR PARTICULAR PURPOSES. PERSONS REVIEWING THIS SDS SHOULD MAKE THEIR OWN DETERMINATION AS TO THE MATERIAL'S SUITABILITY AND COMPLETENESS FOR USE IN THEIR PARTICULAR APPLICATIONS.