# CHS

# SAFETY DATA SHEET

#### Section 1. Identification

CHS Inc. Transportation Emergency (CHEMTREC) : 1-800-424-9300

P.O. Box 64089 Technical Information 1-651-355-8443 Mail station 525

St. Paul, MN 55164-0089 SDS Information : 1-651-355-8445

Product name: Concrete Form Oil WSSDS no.: 1168-H4X0

 Common name
 : Form release oil.
 Revision date
 : 01/28/2015

 Chemical name
 : Lubricating oil.
 Chemical formula
 : Mixture

Chemical family : Hydrocarbon.

Relevant identified uses of the substance or mixture and uses advised against

Lubricant.

# Section 2. Hazards identification

OSHA/HCS status : This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Classification of the substance or

mixture

: FLAMMABLE LIQUIDS - Category 4

**GHS label elements** 

Signal word : Warning

Hazard statements : Combustible liquid.

**Precautionary statements** 

General : Read label before use. Keep out of reach of children. If medical advice is needed, have product container or

label at hand.

Hazardous Material Information System (U.S.A.)

Health: 2 \* Flammability: 2 Physical hazards: 0

National Fire Protection Association (U.S.A.)

Health: 2 \* Flammability: 2 Instability: 0

# Section 3. Composition/information on ingredients

 Substance/mixture
 : Mixture

 Chemical name
 : Lubricating oil.

 Other means of identification
 : Form release oil.

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

#### Section 4. First aid measures

# **Description of necessary first aid measures**

Eye contact : If material comes in contact with the eyes, immediately wash the eyes with large amounts of water for 15

minutes, occasionally lifting the lower and upper lids. Get medical attention.

Inhalation : If person breathes in large amounts of material, move the exposed person to fresh air at once. If breathing has

stopped, perform artificial respiration. Keep the person warm and at rest. Get medical attention as soon as

possible.

Skin contact : If the material comes in contact with the skin, wash the contaminated skin with soap and water promptly. If the

material penetrates through clothing, remove the clothing and wash the skin with soap and water promptly. If

irritation persists after washing, get medical attention immediately.

Ingestion : If material has been swallowed, do not induce vomiting. Get medical attention immediately.

# Most important symptoms/effects, acute and delayed

# Potential acute health effects

Eye contact: No known significant effects or critical hazards.Inhalation: No known significant effects or critical hazards.Skin contact: No known significant effects or critical hazards.

**Ingestion**: No known significant effects or critical hazards.

#### Over-exposure signs/symptoms

**Eye contact** : Adverse symptoms may include the following: pain or irritation, watering, redness. **Inhalation** : Adverse symptoms may include the following: respiratory tract irritation, coughing.

**Skin contact**: Adverse symptoms may include the following: irritation, redness.

**Ingestion**: No known significant effects or critical hazards.

#### Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician : Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested

or inhaled.

**Specific treatments**: No specific treatment.

Protection of first-aiders : No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the

person providing aid to give mouth-to-mouth resuscitation.

See toxicological information (Section 11)

# Section 5. Fire-fighting measures

#### **Extinguishing media**

Suitable extinguishing media : Use water spray to cool fire exposed surfaces and to protect personnel. Foam, dry chemical or water spray (fog) to extinguish fire.

Unsuitable extinguishing media
 Do not use water jet or water-based fire extinguishers.
 Specific hazards arising from the chemical
 Toxic fumes gases or vapors may evolve on burning.

**Hazardous thermal decomposition products** : Decomposition products may include the following materials: carbon dioxide

carbon monoxide

Special protective actions for fire-fighters : When fighting fires wear full turnout gear and self contained breathing apparatus. Water may

cause splattering. Material floats on water.

Special protective equipment for fire-fighters:

Not applicable.

# Section 6. Accidental release measures

# Personal precautions, protective equipment and emergency procedures

For non-emergency personnel : Keep unnecessary and unprotected personnel from entering. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective

equipment.

#### Methods and materials for containment and cleaning up

Spill : Contain with dikes or absorbent to prevent migration to sewers/streams. Take up small spill with dry chemical absorbent; large spills may require pump or vacuum prior to absorbent. May require excavation of severely

contaminated soil

#### Section 7. Handling and storage

#### Precautions for safe handling

Protective measures : Put on appropriate personal protective equipment (see Section 8). Do not get in eyes or on skin or clothing.

Do not breathe vapor or mist. Do not ingest. Use only with adequate ventilation. Wear appropriate respirator

when ventilation is inadequate.

Advice on general occupational : Eating, drinking processed. Wo

 Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking.

Conditions for safe storage, including any incompatibilities

: Handling temperatures should not exceed 140°F (60°C). Do not store at temperatures exceeding 113°F (45°C). Odorous and toxic fumes may form from the decomposition of this product if stored at excessive temperatures for extended periods of time. Store in accordance with local regulations. Store in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10). Use appropriate containment to avoid environmental contamination.

# Section 8. Exposure controls/personal protection

# **Control parameters**

#### Occupational exposure limits

None

**Appropriate engineering controls**: Use only with adequate ventilation.

Environmental exposure controls : Emissions from ventilation or work process equipment should be checked to ensure they comply with the

# requirements of environmental protection legislation.

# **Individual protection measures**

#### **Concrete Form Oil WS**

**Hygiene measures** : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Ensure that eyewash stations and safety showers are close

Recommended: Splash goggles and a face shield, where splash hazard exists.

to the workstation location.

Eye/face protection

Skin protection

Melting point

**Boiling point** 

Flash point

limits

**Flammability** 

Lower and upper explosive (flammable)

**Hand protection** : 4 - 8 hours (breakthrough time): Nitrile gloves. **Body protection** : Recommended: Long sleeved coveralls.

Other skin protection : Recommended: Impervious boots.

Respiratory protection : If ventilation is inadequate, use a NIOSH-certified respirator with an organic vapor cartridge and P95 particulate

Ocation O Dhysical and shoulded an

# Section 9. Physical and chemical properties

Appearance Relative density : 0.855

Physical state : Liquid. Evaporation rate : <1 (Ether = 1)

Color : Slight yellow. | Solubility : Insoluble in the following materials: cold water

and hot water.

Odor : Mild. Solubility in water : Insoluble
Odor threshold : Not available. Partition coefficient: n- : Not available.

Open cup: >=79.44°C (>=175°F) [Cleveland.]

Not available.

Not available.

Partition coefficient: noctanol/water

Auto-ignition

: Not available.

temperature

Decomposition

Not available.

temperature

SADT : Not available.

Viscosity : Not available.

**Vapor pressure** : <0.13 kPa (<1 mm Hg) (68°F)

Vapor density : Not available.

# Section 10. Stability and reactivity

**Reactivity** : No specific test data related to reactivity available for this product or its ingredients.

Chemical stability : The product is stable.

Not available.

Not available

Not available.

: Not available.

Possibility of hazardous reactions : Under normal conditions of storage and use, hazardous reactions will not occur.

Conditions to avoid : Avoid all possible sources of ignition (spark or flame). Do not pressurize, cut, weld, braze, solder, drill, grind or

expose containers to heat or sources of ignition.

**Incompatible materials**: Reactive or incompatible with the following materials: oxidizing materials and acids.

Hazardous decomposition products : Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# Section 11. Toxicological information

### Information on toxicological effects

#### Acute toxicity

There is no data available.

# Irritation/Corrosion

Skin: There is no data available.Eyes: There is no data available.Respiratory: There is no data available.

**Sensitization** 

Skin: There is no data available.Respiratory: There is no data available.

# **Mutagenicity**

There is no data available.

# Carcinogenicity

There is no data available.

### Reproductive toxicity

There is no data available.

#### **Teratogenicity**

There is no data available.

#### Specific target organ toxicity (single exposure)

There is no data available.

#### Specific target organ toxicity (repeated exposure)

There is no data available.

#### **Aspiration hazard**

There is no data available.

Information on the likely routes of

: Dermal contact. Eye contact. Inhalation. Ingestion.

exposure

# Section 12. Ecological information

#### **Toxicity**

There is no data available.

#### Persistence and degradability

There is no data available.

#### Bioaccumulative potential

There is no data available.

#### Mobility in soil

Soil/water partition coefficient (Koc) : There is no data available.

Other adverse effects : No known significant effects or critical hazards.

# Section 13. Disposal considerations

#### Disposal methods

Disposal of this product, solutions and any by-products should comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

# Section 14. Transport information

**DOT IDENTIFICATION NUMBER** NA1993

DOT proper shipping name

COMBUSTIBLE LIQUID, N.O.S.

DOT Hazard Class(es) Combustible liquid.

PG III

**DOT EMER. RESPONSE GUIDE NO. 128** 

#### Section 15. Regulatory information

U.S. Federal regulations

: TSCA 8(a) CDR Exempt/Partial exemption: Not determined

United States inventory (TSCA 8b): All components are listed or exempted.

**DEA List I Chemicals (Precursor Chemicals)** Clean Air Act Section 602 Class I Substances : Not listed : Not listed Clean Air Act Section 602 Class II Substances : Not listed **DEA List II Chemicals (Essential Chemicals)** : Not listed

Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs) : Not listed

#### SARA 302/304

#### Composition/information on ingredients

No products were found.

SARA 304 RQ : Not applicable.

**SARA 311/312** 

Classification : Fire hazard

# Composition/information on ingredients

No products were found.

: This product (does/not) contain toxic chemicals subject to the reporting requirements of SARA Section 313 of **SARA 313** 

the Emergency Planning and Community Right-To-Know Act of 1986 and of 40 CFR 372.

Product name	CAS number	%
Not applicable.		

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

#### State regulations

Massachusetts : The following components are listed: Distillates (petroleum), hydrotreated light naphthenic

**New York** None of the components are listed.

**New Jersey** The following components are listed: Distillates (petroleum), hydrotreated light naphthenic

Pennsylvania None of the components are listed.

California Prop. 65 : No products were found.

# Section 16. Other information

**Revision date** : 01/28/2015 : 03/24/2004 Supersedes

Revised Section(s) : 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16. Prepared by : KMK Regulatory Services Inc.

Notice to reader
THE INFORMATION CONTAINED IN THIS SDS RELATES ONLY TO THE SPECIFIC MATERIAL IDENTIFIED. IT DOES NOT COVER USE OF THAT MATERIAL IN COMBINATION WITH ANY OTHER
MATERIAL OR IN ANY PARTICULAR PROCESS. IN COMPLIANCE WITH 29 C.F.R. 1910.1200(g), CHS HAS PREPARED THIS SDS IN SEGMENTS, WITH THE INTENT THAT THOSE SEGMENTS BE
READ TOGETHER AS A WHOLE WITHOUT TEXTUAL OMISSIONS OR ALTERATIONS. CHS BELIEVES THE INFORMATION CONTAINED HEREIN TO BE ACCURATE, BUT MAKES NO
REPRESENTATION, GUARANTEE, OR WARRANTY, EXPRESS OR IMPLIED, ABOUT THE ACCURACY, RELIABILITY, OR COMPLETENESS OF THE INFORMATION OR ABOUT THE FITNESS OF
CONTENTS HEREIN FOR EITHER GENERAL OR PARTICULAR PURPOSES. PERSONS REVIEWING THIS SDS SHOULD MAKE THEIR OWN DETERMINATION AS TO THE MATERIAL'S SUITABILITY AND COMPLETENESS FOR USE IN THEIR PARTICULAR APPLICATIONS.