# SAFETY DATA SHEET



## Section 1. Identification

Manufacturer Canadian supplier identifier Transportation Emergency (CHEMTREC) : 1-800-424-9300

CHS Inc. Technical Information : 1-651-355-8443

P.O. Box 64089
Mail station 525
SDS Information : 1-651-355-8445

St. Paul, MN 55164-0089

SYNTHETIC BLEND

Common name : Synthetic Blend Motor Oil SAE 10W, 30, 40, 50, 5W-20, 5W-30, Revision date : 04/11/2019

10W-30

Chemical name : Lubricating oil. Chemical formula : Mixture

Chemical family : Hydrocarbon.

Relevant identified uses of the substance or mixture and uses advised against

Lubricant.

### Section 2. Hazards identification

OSHA/HCS status : This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Classification of the substance or

mixture

: ASPIRATION HAZARD - Category 1

**GHS label elements** 

Hazard pictograms :



Signal word : Danger

**Hazard statements** : H304 - May be fatal if swallowed and enters airways.

**Precautionary statements** 

General : Read label before use. Keep out of reach of children. If medical advice is needed, have product container or

label at hand.

Prevention : Not applicable.

Response : IF SWALLOWED: Immediately call a POISON CENTER or physician. Do NOT induce vomiting.

Storage : Store locked up.

**Disposal** : Dispose of contents and container in accordance with all local, regional, national and international regulations.

Hazards not otherwise classified : None known.

Hazardous Material Information System (U.S.A.) Health: 3 / Flammability: 1 Physical hazards: 0 National Fire Protection Association (U.S.A.) Health: 3 Flammability: 1 Instability: 0

# Section 3. Composition/information on ingredients

Substance/mixture : Mixture

Chemical name : Lubricating oil.

Other means of identification : Synthetic Blend Motor Oil SAE 10W, 30, 40, 50, 5W-20, 5W-30, 10W-30

Ingredient name	%	CAS number
Distillates (petroleum), hydrotreated light paraffinic Distillates (petroleum), hydrotreated heavy paraffinic	30 - 60 30 - 60	64742-55-8 64742-54-7

United States: The exact percentage (concentration) in the composition has been withheld as a trade secret in accordance with paragraph (i) of §1910.1200.

Canada: The exact percentage (concentration) in the composition has been withheld as a trade secret in accordance with the amended HPR as of April 2018.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

#### Section 4. First aid measures

### **Description of necessary first aid measures**

Eye contact : If material comes in contact with the eyes, immediately wash the eyes with large amounts of water for 15

minutes, occasionally lifting the lower and upper lids. Get medical attention.

Inhalation : If person breathes in large amounts of material, move the exposed person to fresh air at once. If breathing has

stopped, perform artificial respiration. Keep the person warm and at rest. Get medical attention as soon as

possible.

Skin contact : If the material comes in contact with the skin, wash the contaminated skin with soap and water promptly. If the

material penetrates through clothing, remove the clothing and wash the skin with soap and water promptly. If

irritation persists after washing, get medical attention immediately.

Ingestion : If material has been swallowed, do not induce vomiting. Get medical attention immediately.

## Most important symptoms/effects, acute and delayed

#### Potential acute health effects

Eye contact: No known significant effects or critical hazards.Inhalation: No known significant effects or critical hazards.Skin contact: No known significant effects or critical hazards.Ingestion: May be fatal if swallowed and enters airways.

#### Over-exposure signs/symptoms

**Eye contact** : Adverse symptoms may include the following: pain or irritation, watering, redness. **Inhalation** : Adverse symptoms may include the following: respiratory tract irritation, coughing.

Skin contact : Adverse symptoms may include the following: irritation, redness.

**Ingestion**: No known significant effects or critical hazards.

### Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician : Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested

or inhaled.

**Specific treatments** : No specific treatment.

Protection of first-aiders : No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the

person providing aid to give mouth-to-mouth resuscitation.

See toxicological information (Section 11)

# Section 5. Fire-fighting measures

# **Extinguishing media**

Suitable extinguishing media : Use water spray to cool fire exposed surfaces and to protect personnel. Foam, dry chemical or

water spray (fog) to extinguish fire.

Unsuitable extinguishing media :

: Toxic fumes gases or vapors may evolve on burning.

Specific hazards arising from the chemical Hazardous thermal decomposition products

: No specific data.

None known.

Special protective actions for fire-fighters

When fighting fires wear full turnout gear and self contained breathing apparatus. Water may cause splattering. Material floats on water.

Special protective equipment for fire-fighters : Not applie

: Not applicable.

### Section 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

For non-emergency personnel : Keep unnecessary and unprotect

Keep unnecessary and unprotected personnel from entering. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

## Methods and materials for containment and cleaning up

Spill : Contain with dikes or absorbent to prevent migration to sewers/streams. Take up small spill with dry chemical absorbent; large spills may require pump or vacuum prior to absorbent. May require excavation of severely

contaminated soil.

## Section 7. Handling and storage

#### Precautions for safe handling

#### Protective measures

: Put on appropriate personal protective equipment (see Section 8). Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate.

#### Advice on general occupational hygiene

: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking.

### Conditions for safe storage, including any incompatibilities

: Do not store above the following temperature: 113°C (235.4°F). Odorous and toxic fumes may form from the decomposition of this product if stored at excessive temperatures for extended periods of time. Store in accordance with local regulations. Store in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10). Use appropriate containment to avoid environmental contamination.

# Section 8. Exposure controls/personal protection

#### **Control parameters**

### Occupational exposure limits

Ingredient name	Exposure limits	
Distillates (petroleum), hydrotreated light paraffinic  Distillates (petroleum), hydrotreated heavy paraffinic	ACGIH TLV (United States, 3/2017).  TWA: 5 mg/m³ 8 hours. Form: Inhalable fraction OSHA PEL (United States, 6/2016).  TWA: 5 mg/m³ 8 hours.  NIOSH REL (United States, 10/2016).  TWA: 5 mg/m³ 10 hours. Form: Mist STEL: 10 mg/m³ 15 minutes. Form: Mist ACGIH TLV (United States, 3/2017).  TWA: 5 mg/m³ 8 hours. Form: Inhalable fraction OSHA PEL (United States, 6/2016).  TWA: 5 mg/m³ 8 hours.  NIOSH REL (United States, 10/2016).  TWA: 5 mg/m³ 10 hours. Form: Mist STEL: 10 mg/m³ 15 minutes. Form: Mist	

## Canada

## Occupational exposure limits

Ingredient name	Exposure limits
Distillates (petroleum), hydrotreated light paraffinic	CA Alberta Provincial (Canada, 4/2009).  8 hrs OEL: 5 mg/m³ 8 hours. Form: Mist 15 min OEL: 10 mg/m³ 15 minutes. Form: Mist  CA Quebec Provincial (Canada, 1/2014).  TWAEV: 5 mg/m³ 8 hours. Form: Mist  STEV: 10 mg/m³ 15 minutes. Form: Mist
Distillates (petroleum), hydrotreated heavy paraffinic	CA Alberta Provincial (Canada, 4/2009).  8 hrs OEL: 5 mg/m³ 8 hours. Form: Mist 15 min OEL: 10 mg/m³ 15 minutes. Form: Mist CA Quebec Provincial (Canada, 1/2014).  TWAEV: 5 mg/m³ 8 hours. Form: Mist STEV: 10 mg/m³ 15 minutes. Form: Mist

#### Appropriate engineering controls

: Use only with adequate ventilation.

**Environmental exposure controls** 

: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation.

## **Individual protection measures**

Hygiene measures

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection

: Recommended: Splash goggles and a face shield, where splash hazard exists.

Skin protection Hand protection **Body protection** 

: 4 - 8 hours (breakthrough time): Nitrile gloves. : Recommended: Long sleeved coveralls.

Other skin protection

Recommended: Impervious boots.

Respiratory protection

If ventilation is inadequate, use a NIOSH-certified respirator with an organic vapor cartridge and P95 particulate

## Section 9. Physical and chemical properties

Appearance Relative density : 0.86 to 0.88

Physical state : Liquid. Evaporation rate : <1 (Butyl acetate = 1)

Color : Amber. | Solubility : Insoluble in the following materials: cold water

and hot water.

Odor : Not available. Solubility in water : Insoluble
Odor threshold : Not available. Partition coefficient: n- : Not available.

pH : Not available. octanol/water

Melting point : Not available. Auto-ignition : >260°C (>500°F)

temperature

Boiling point : Not available. Decomposition : Not available.

temperature

Flash point : Closed cup: ≥200°C (≥392°F) SADT : Not available.

Flammability : Not available.

Viscosity : Not available.

Lower and upper : Not available. Vapor pressure : <0.13 kPa (<1 mm Hg) (68°F)

Vapor density : Not available.

## Section 10. Stability and reactivity

Reactivity : No specific test data related to reactivity available for this product or its ingredients.

**Chemical stability** : The product is stable.

Possibility of hazardous reactions : Under normal conditions of storage and use, hazardous reactions will not occur.

Conditions to avoid : No specific data.

Incompatible materials : Not available.

Hazardous decomposition products : Under normal conditions of storage and use, hazardous decomposition products should not be produced.

### Section 11. Toxicological information

### Information on toxicological effects

### **Acute toxicity**

There is no data available.

#### Irritation/Corrosion

explosive (flammable)

limits

 Skin
 : Not hazardous (per manufacturer).

 Eyes
 : Not hazardous (per manufacturer).

 Respiratory
 : Not hazardous (per manufacturer).

<u>Sensitization</u>

Skin: Not hazardous (per manufacturer).Respiratory: Not hazardous (per manufacturer).

**Mutagenicity** 

There is no data available.

# **Carcinogenicity**

There is no data available.

# Reproductive toxicity

There is no data available.

### **Teratogenicity**

There is no data available.

### Specific target organ toxicity (single exposure)

There is no data available.

### Specific target organ toxicity (repeated exposure)

There is no data available.

#### **Aspiration hazard**

#### COMMERCIAL PCMO 0W-20,5W-20,5W-30,10W-30 SYNTHETIC BLEND

Name	Result
Distillates (petroleum), hydrotreated light paraffinic	ASPIRATION HAZARD - Category 1 ASPIRATION HAZARD - Category 1 ASPIRATION HAZARD - Category 1

Information on the likely routes of exposure

: Dermal contact. Eye contact. Inhalation. Ingestion.

# Section 12. Ecological information

#### **Toxicity**

There is no data available.

#### Persistence and degradability

There is no data available.

#### Bioaccumulative potential

There is no data available.

#### **Mobility in soil**

Soil/water partition coefficient (Koc)

: There is no data available.

Other adverse effects

: No known significant effects or critical hazards.

## Section 13. Disposal considerations

Disposal methods

: Disposal of this product, solutions and any by-products should comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

## Section 14. Transport information

**DOT IDENTIFICATION NUMBER** Not applicable.

DOT proper shipping name

Not applicable.

DOT Hazard Class(es)

Not applicable.

PG Not applicable.

DOT-TDG EMER. RESPONSE GUIDE NO.

Not applicable

TDG IDENTIFICATION NUMBER Not regulated.

TDG proper shipping name

Not applicable.

TDG Hazard Class(es)

Not applicable. **PG** Not applicable.

## Section 15. Regulatory information

U.S. Federal regulations

: TSCA 8(a) CDR Exempt/Partial exemption: Not determined

United States inventory (TSCA 8b): All components are listed or exempted.

Clean Water Act (CWA) 307: Benzene; Phosphorodithioic acid, mixed O,O-bis(sec-Bu and isooctyl) esters,

zinc salts; Zinc O,O,O',O'-tetrakis(1,3-dimethylbutyl) bis(phosphorodithioate)

Clean Water Act (CWA) 311: Benzene; Vinyl acetate

Clean Air Act Section 602 Class I Substances

: Not listed

DEA List I Chemicals (Precursor Chemicals)

: Not listed

Clean Air Act Section 602 Class II Substances

: Not listed

**DEA List II Chemicals (Essential Chemicals)** 

: Not listed

Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs)

: Listed

SARA 302/304

#### Composition/information on ingredients

			SARA 302 TPQ		SARA 304 RQ	
Name	%	EHS	(lbs)	(gallons)	(lbs)	(gallons)
Vinyl acetate	<0.1	Yes.	1000	129	5000	644.8

SARA 304 RQ : 61728395.1 lbs / 28024691.4 kg [8509586.5 gal / 32212288.9 L]

**SARA 311/312** 

Hazard classifications : ASPIRATION HAZARD - Category 1

#### Composition/information on ingredients

Name	Classification
1 7 7	ASPIRATION HAZARD - Category 1 ASPIRATION HAZARD - Category 1

#### COMMERCIAL PCMO 0W-20,5W-20,5W-30,10W-30 SYNTHETIC BLEND

#### **SARA 313**

: This product (does/not) contain toxic chemicals subject to the reporting requirements of SARA Section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 and of 40 CFR 372.

Product name	CAS number	%
Zinc compounds	Mixture	<0.65

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

#### State regulations

Massachusetts : The following components are listed: Distillates (petroleum), hydrotreated heavy paraffinic; Distillates

(petroleum), hydrotreated light paraffinic

**New York** None of the components are listed. **New Jersey** None of the components are listed. Pennsylvania : None of the components are listed.

California Prop. 65

WARNING: This product can expose you to Benzene, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Ingredient name	No significant risk level	Maximum acceptable dosage level
Benzene	Yes.	Yes.

**Canadian lists** : All ingredients are listed on the Canadian Domestic Substances List (DSL), have been registered on the Non-

Domestic Substances List (NDSL), or are exempt.

Canada inventory (DSL NDSL) : All components are listed or exempted. **Canadian NPRI** : None of the components are listed. **CEPA Toxic substances** : None of the components are listed.

### Section 16. Other information

**Revision date** : 04/11/2019 : 03/19/2015 Supersedes

: KMK Regulatory Services Inc. Revised Section(s) : 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16. Prepared by

#### Notice to reader

NOTICE TO FEASER

THE INFORMATION CONTAINED IN THIS SDS RELATES ONLY TO THE SPECIFIC MATERIAL IDENTIFIED. IT DOES NOT COVER USE OF THAT MATERIAL IN COMBINATION WITH ANY OTHER MATERIAL OR IN ANY PARTICULAR PROCESS. IN COMPLIANCE WITH 29 C.F.R. 1910.1200(g), CHS HAS PREPARED THIS SDS IN SEGMENTS, WITH THE INTENT THAT THOSE SEGMENTS BE READ TOGETHER AS A WHOLE WITHOUT TEXTUAL OMISSIONS OR ALTERATIONS. CHS BELIEVES THE INFORMATION CONTAINED HEREIN TO BE ACCURATE, BUT MAKES NO REPRESENTATION, GUARANTEE, OR WARRANTY, EXPRESS OR IMPLIED, ABOUT THE ACCURACY, RELIABILITY, OR COMPLETENESS OF THE INFORMATION OR ABOUT THE FITNESS OF CONTENTS HEREIN FOR EITHER GENERAL OR PARTICULAR PURPOSES. PERSONS REVIEWING THIS SDS SHOULD MAKE THEIR OWN DETERMINATION AS TO THE MATERIAL'S SUITABILITY AND COMPLETENESS FOR USE IN THEIR PARTICULAR APPLICATIONS.