

# **SAFETY DATA SHEET**

# Section 1. Identification

CHS Inc. P.O. Box 64089 Mail station 525	Transport	ation Emergency (CHEMTREC) Technical Information	:	1-800-424-9300 1-651-355-8443	
St. Paul, MN 55164	-0089	SDS Information		1-651-355-8445	
Product name	: Commercial Zinc Free Hydr. Oil ISO 22MV, 46MV	SDS no.	:	1398-602150	
Common name	: Premium zinc-free anti-wear hydraulic oil	Revision date	:	4/1/2015	
Chemical name	: Lubricating oil.	Chemical formula	:	Mixture	
Chemical family	: Hydrocarbon.				

#### Relevant identified uses of the substance or mixture and uses advised against

Lubricant.

## Section 2. Hazards identification

OSHA/HCS status	:	1200), this SD	S contains	valuable inf		safe ha	ard Communication Standard (29 CFR 1910. andling and proper use of the product. This ers of this product.
Classification of the substance or mixture	:	Not classified.					
GHS label elements							
Signal word	:	No signal word	ł.				
Hazard statements	:	No known sigr	ificant effe	cts or critica	I hazards.		
Precautionary statements							
General	:	Read label bef label at hand.	ore use. K	Geep out of r	each of children. If me	edical a	dvice is needed, have product container or
Prevention	:	Not applicable					
Response	:	Not applicable					
Storage	:	Not applicable					
Disposal	:	Not applicable					
Hazards not otherwise classified (HNOC)	:	None known.					
Hazardous Material Information Sy	ste	m (U.S.A.)	Health :	0	Flammability :	1	Physical hazards: 0
National Fire Protection Association	n (	U.S.A.)	Health :	0	Flammability :	1	Instability: 0

#### Section 3. Composition/information on ingredients

Substance/mixture	: Mixture		
Chemical name	: Lubricating oil.		
Other means of identification	: Premium zinc-free anti-wear hydraulic oil		
Ingredient name		%	CAS number
Distillates (petroleum), hydrotreated heavy paraffinic		30 - 60	64742-54-7

(\*) This (These) above ingredient(s) is (are) non-hazardous and are not contributing to the hazard and classification of the final mixture. They are disclosed for information only.

Any concentration shown as a range is to protect confidentiality.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

# Section 4. First aid measures

Description of necessary first aid meas	ures
Eye contact :	If material comes in contact with the eyes, immediately wash the eyes with large amounts of water for 15
Inhalation :	minutes, occasionally lifting the lower and upper lids. Get medical attention. If person breathes in large amounts of material, move the exposed person to fresh air at once. If breathing has
	stopped, perform artificial respiration. Keep the person warm and at rest. Get medical attention as soon as
<b>-</b>	possible.
Skin contact :	If the material comes in contact with the skin, wash the contaminated skin with soap and water promptly. If the material penetrates through clothing, remove the clothing and wash the skin with soap and water promptly. If
	irritation persists after washing, get medical attention immediately.
Ingestion :	If material has been swallowed, do not induce vomiting. Get medical attention immediately.
Nost important symptoms/effects, acut	e and delayed
Potential acute health effects	
•	No known significant effects or critical hazards.
Inhalation :	No known significant effects or critical hazards.
Skin contact :	No known significant effects or critical hazards.
Ingestion :	No known significant effects or critical hazards.
Over-exposure signs/symptoms	
Eye contact :	Adverse symptoms may include the following: pain or irritation, watering, redness.
Inhalation :	Adverse symptoms may include the following: respiratory tract irritation, coughing.
Skin contact :	Adverse symptoms may include the following: irritation, redness.
Ingestion :	No known significant effects or critical hazards.
Indication of immediate medical atten	tion and special treatment needed, if necessary
Notes to physician	: Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingester
Specific treatments	or inhaled. : No specific treatment.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training.
See toxicological information (Section	n 11)
	Section 5. Fire-fighting measures
Extinguishing media	
Suitable extinguishing media	: Use water spray to cool fire exposed surfaces and to protect personnel. Foam, dry chemical or
	water spray (fog) to extinguish fire.
Unsuitable extinguishing media	: None known.
Specific hazards arising from the chem	
lazardous thermal decomposition pro-	ducts : No specific data.
Special protective actions for fire-fight	ers : When fighting fires wear full turnout gear and self contained breathing apparatus. Water may
Special protective equipment for fire field	cause splattering. Material floats on water.  inters : Not applicable.
Special protective equipment for fire-figl	tters . Not applicable.
	Section 6. Accidental release measures
Personal precautions, protective equip	ment and emergency procedures
For non-emergency personnel :	Keep unnecessary and unprotected personnel from entering. Avoid breathing vapor or mist. Provide adequat
r or non-emergency personner	ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protectiv equipment.
Methods and materials for containmer	nt and cleaning up
Spill	: Contain with dikes or absorbent to prevent migration to sewers/streams. Take up small spill with dry chemica absorbent; large spills may require pump or vacuum prior to absorbent. May require excavation of severely contaminated soil.
	Section 7. Handling and storage
Precautions for safe handling	
Protective measures :	Put on appropriate personal protective equipment (see Section 8). Do not get in eyes or on skin or clothing.

hygiene

#### Commercial Zinc Free Hydr. Oil ISO 22MV, 46MV

Conditions for safe storage, including any incompatibilities

: Handling temperatures should not exceed 175°F (80°C). Do not store above the following temperature: 113°C (235.4°F). Odorous and toxic fumes may form from the decomposition of this product if stored at excessive temperatures for extended periods of time. Store in accordance with local regulations. Store in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10). Use appropriate containment to avoid environmental contamination.

## Section 8. Exposure controls/personal protection

Control parameters	
Occupational exposure limits	
None.	
Appropriate engineering controls	: Use only with adequate ventilation.
Environmental exposure controls	: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation.
Individual protection measures	
Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	: Recommended: Splash goggles and a face shield, where splash hazard exists.
Skin protection	
Hand protection	: 4 - 8 hours (breakthrough time): Nitrile gloves.
Body protection	: Recommended: Long sleeved coveralls.
Other skin protection	: Recommended: Impervious boots.
Respiratory protection	: If ventilation is inadequate, use a NIOSH-certified respirator with an organic vapor cartridge and P95 particulate filter.

## Section 9. Physical and chemical properties

Appearance		Relative density	:	0.8702
Physical state	: Liquid.	Evaporation rate	:	<1 (Butyl acetate = 1)
Color	: Amber.	Solubility	:	Insoluble in the following materials: cold water and hot water.
Odor	: Mild.	Solubility in water	:	Insoluble
Odor threshold	: Not available.	Partition coefficient: n-	:	Not available.
рН	Not available.	octanol/water		
Melting point	: Not available.	Auto-ignition temperature	:	>260°C (>500°F)
Boiling point	: Not available.	Decomposition temperature	:	Not available.
Flash point	: Closed cup: 232°C (449.6°F)	SADT	:	Not available.
Flammability	: Not available.	Viscosity	:	Not available.
Lower and upper	: Not available.	Vapor pressure	:	<0.13 kPa (<1 mm Hg) (68°F)
explosive (flammable) limits		Vapor density	:	Not available.

## Section 10. Stability and reactivity

Reactivity Chemical stability Possibility of hazardous reactions	No specific test data related to reactivity available for this product or its ingredients. The product is stable. Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid Incompatible materials Hazardous decomposition products	No specific data. Reactive or incompatible with the following materials: oxidizing materials. Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# Section 11. Toxicological information

nformation on toxicological e	ffects
Acute toxicity	
There is no data available.	
Irritation/Corrosion	
Skin	: There is no data available.
Eyes	: There is no data available.
Respiratory	: There is no data available.
Sensitization	
Skin	: There is no data available.
Respiratory	: There is no data available.
<u>Mutagenicity</u>	
There is no data available.	
<b>Carcinogenicity</b>	
There is no data available.	
Reproductive toxicity	
There is no data available.	
<b>Teratogenicity</b>	
There is no data available.	
Specific target organ toxicity	<u>/ (single exposure)</u>
There is no data available.	
Specific target organ toxicity	<u>/ (repeated exposure)</u>
There is no data available.	
Aspiration hazard	
There is no data available.	
nformation on the likely route exposure	es of : Dermal contact. Eye contact. Inhalation. Ingestion.
	Section 12. Ecological information

Toxicity	
There is no data available.	
Persistence and degradability	
There is no data available.	
Bioaccumulative potential	
There is no data available.	
<u>Mobility in soil</u>	
Soil/water partition coefficient (Koc)	: There is no data available.
Other adverse effects	: No known significant effects or critical hazards.
	Section 13. Disposal considerations

**Disposal methods** 

: Disposal of this product, solutions and any by-products should comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

Section 14. Transport information									
DOT IDENTIFICATION NUMBER Not applicable.	DOT proper shipping name	Not applicable.							
DOT Hazard Class(es) Not applicable.	PG Not applicable.	DOT EMER. RESPONSE GUIDE NO. Not applicable							
Sect	Section 15. Regulatory information								
TSCA 8(a) PAIR TSCA 8(a) CDR United States ir Clean Water Ac	test rules: 2-Butenedioic acid (E t: Diphenylamine; 2-Butenedioic a Exempt/Partial exemption: Not inventory (TSCA 8b): Not determine t (CWA) 307: Arsenic t (CWA) 311: Propylene oxide; Vi	icid (E)-, di-C8-18-alkyl esters determined ned.							
Clean Air Act Section 602 Class I Substances : Not Clean Air Act Section 602 Class II Substances : Not Clean Air Act Section 112(b) Hazardous Air Pollutants (HA <u>SARA 302/304</u>	listed DEA List II Chemic	als (Precursor Chemicals) : Not listed cals (Essential Chemicals) : Not listed							

#### Composition/information on ingredients

			SARA 302 TPQ		SARA 304 RQ	
Name	%	EHS	(lbs)	(gallons)	(Ibs)	(gallons)
Vinyl acetate Ethylene oxide Propylene oxide	0 - 0.1 0 - 0.1 0 - 0.1	Yes. Yes. Yes.	1000 - 10000	129 - 1444.3	5000 - 100	644.8 - 14.4

# SARA 304 RQ

: 111111111.1 lbs / 50444444.4 kg [15313735.2 gal / 57968793.9 L]

#### SARA 311/312

Hazard classifications : No hazard applicable.

Composition/information on ingredients

No products were found.

SARA 313

: This product (does/not) contain toxic chemicals subject to the reporting requirements of SARA Section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 and of 40 CFR 372.

I	Product name	CAS number	%	
1	Not applicable.			

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

#### State regulations

Massachusetts	: The	The following components are listed: Distillates (petroleum), hydrotreated light paraffinic					
New York	: Nor	None of the components are listed.					
New Jersey		The following components are listed: Distillates (petroleum), hydrotreated heavy paraffinic; Distillates (petroleum), hydrotreated light paraffinic					
Pennsylvania	: Nor	None of the components are listed.					
California Prop. 65	can WA	<ul><li>WARNING: This product contains less than 0.1% of a chemical known to the State of California to cause cancer.</li><li>WARNING: This product contains less than 1% of a chemical known to the State of California to cause birth defects or other reproductive harm.</li></ul>					
Ingredient name		Cancer	Reproductive	No significant risk level	Maximum acceptable dosage level		
Vinvl acetate		Yes	No	No	No		

				dosage level
Vinyl acetate	Yes.	No.	No.	No.
Ethyl acrylate	Yes.	No.	No.	No.
1,4-Dioxane	Yes.	No.	Yes.	No.
Ethylene oxide	Yes.	Yes.	Yes.	Yes.
Propylene oxide	Yes.	No.	No.	No.
Arsenic	Yes.	No.	0.06 µg/day (inhalation)	No.

## Section 16. Other information

Revision date	: 4/1/2015	Supersedes :	09/04/2014
Revised Section(s)	: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16.	Prepared by :	KMK Regulatory Services Inc.
Notice to reader			

Notice to reader THE INFORMATION CONTAINED IN THIS SDS RELATES ONLY TO THE SPECIFIC MATERIAL IDENTIFIED. IT DOES NOT COVER USE OF THAT MATERIAL IN COMBINATION WITH ANY OTHER MATERIAL OR IN ANY PARTICULAR PROCESS. IN COMPLIANCE WITH 29 C.F.R. 1910.1200(g), CHS HAS PREPARED THIS SDS IN SEGMENTS, WITH THE INTENT THAT THOSE SEGMENTS BE READ TOGETHER AS A WHOLE WITHOUT TEXTUAL OMISSIONS OR ALTERATIONS. CHS BELIEVES THE INFORMATION CONTAINED HEREIN TO BE ACCURATE, BUT MAKES NO REPRESENTATION, GUARANTEE, OR WARRANTY, EXPRESS OR IMPLIED, ABOUT THE ACCURACY, RELIABILITY, OR COMPLETENESS OF THE INFORMATION OR ABOUT THE FITNESS OF CONTENTS HEREIN FOR EITHER GENERAL OR PARTICULAR PURPOSES. PERSONS REVIEWING THIS SDS SHOULD MAKE THEIR OWN DETERMINATION AS TO THE MATERIAL'S SUITABILITY AND COMPLETENESS FOR USE IN THEIR PARTICULAR APPLICATIONS.