

# SAFETY DATA SHEET

## Section 1. Identification

CHS Inc. Transportation Emergency (CHEMTREC) : 1-800-424-9300

P.O. Box 64089 Technical Information 1-651-355-8443

Mail station 525 St. Paul, MN 55164-0089 SDS Information : 1-651-355-8445

Product name : Commercial THF+ Full Syn. SDS no. : 1426-720001.HL

 Common name
 : Full Synthetic Tractor Hydraulic Fluid
 Revision date
 : 09/16/2015

Chemical name : Lubricating oil. Chemical formula : Mixture

Chemical family : Hydrocarbon.

Relevant identified uses of the substance or mixture and uses advised against

Lubricating oil.

## Section 2. Hazards identification

OSHA/HCS status : This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Classification of the substance or

mixture

: ASPIRATION HAZARD - Category 1 AQUATIC HAZARD (ACUTE) - Category 3

AQUATIC HAZARD (ACUTE) - Category 3
AQUATIC HAZARD (LONG-TERM) - Category 3

Percentage of the mixture consisting of ingredient(s) of unknown toxicity: 5.6%

Percentage of the mixture consisting of ingredient(s) of unknown hazards to the aquatic environment: 5.6%

**GHS label elements** 

Hazard pictograms



Signal word : Danger

**Hazard statements** : May be fatal if swallowed and enters airways.

Harmful to aquatic life with long lasting effects.

**Precautionary statements** 

General : Read label before use. Keep out of reach of children. If medical advice is needed, have product container or

label at hand.

**Prevention**: Avoid release to the environment.

Response : IF SWALLOWED: Immediately call a POISON CENTER or physician. Do NOT induce vomiting.

Storage : Store locked up.

**Disposal** : Dispose of contents and container in accordance with all local, regional, national and international regulations.

Hazards not otherwise classified

(HNOC)

: None known.

Hazardous Material Information System (U.S.A.)

Health: 1 \* Flammability: 1 Physical hazards: 0

National Fire Protection Association (U.S.A.)

Health: 1 \* Flammability: 1 Instability: 0

## Section 3. Composition/information on ingredients

Substance/mixture : Mixture

Chemical name : Lubricating oil.

Other means of identification : Tractor Hydraulic Fluid

Ingredient name	%	CAS number
	10 - 30 0.1 - 1	68037-01-4 101-02-0

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

### Section 4. First aid measures

### **Description of necessary first aid measures**

Eye contact : If material comes in contact with the eyes, immediately wash the eyes with large amounts of water for 15

minutes, occasionally lifting the lower and upper lids. Get medical attention.

Inhalation : If person breathes in large amounts of material, move the exposed person to fresh air at once. If breathing has

stopped, perform artificial respiration. Keep the person warm and at rest. Get medical attention as soon as

possible.

Skin contact : If the material comes in contact with the skin, wash the contaminated skin with soap and water promptly. If the

material penetrates through clothing, remove the clothing and wash the skin with soap and water promptly. If

irritation persists after washing, get medical attention immediately.

: If material has been swallowed, do not induce vomiting. Get medical attention immediately.

### Most important symptoms/effects, acute and delayed

### Potential acute health effects

Ingestion

Eye contact: No known significant effects or critical hazards.Inhalation: No known significant effects or critical hazards.Skin contact: No known significant effects or critical hazards.Ingestion: May be fatal if swallowed and enters airways.

### Over-exposure signs/symptoms

**Eye contact** : Adverse symptoms may include the following: pain or irritation, watering, redness. **Inhalation** : Adverse symptoms may include the following: respiratory tract irritation, coughing.

**Skin contact**: Adverse symptoms may include the following: irritation, redness.

**Ingestion**: No known significant effects or critical hazards.

## Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician : Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested

or inhaled.

**Specific treatments**: No specific treatment.

Protection of first-aiders : No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the

person providing aid to give mouth-to-mouth resuscitation.

See toxicological information (Section 11)

## Section 5. Fire-fighting measures

#### **Extinguishing media**

Suitable extinguishing media : Use water spray to cool fire exposed surfaces and to protect personnel. Foam, dry chemical or

water spray (fog) to extinguish fire.

Unsuitable extinguishing media :

Specific hazards arising from the chemical : Toxic fumes gases or vapors may evolve on burning.

Hazardous thermal decomposition products

: No specific data.

Special protective actions for fire-fighters

When fighting fires wear full turnout gear and self contained breathing apparatus. Water may

cause splattering. Material floats on water.

Special protective equipment for fire-fighters

: Not applicable.

None known.

### Section 6. Accidental release measures

## Personal precautions, protective equipment and emergency procedures

For non-emergency personnel : Keep unnecessary and unproted

: Keep unnecessary and unprotected personnel from entering. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

## Methods and materials for containment and cleaning up

Spill : Contain with dikes or absorbent to prevent migration to sewers/streams. Take up small spill with dry chemical absorbent; large spills may require pump or vacuum prior to absorbent. May require excavation of severely

contaminated soil.

## Section 7. Handling and storage

### Precautions for safe handling

Protective measures

Put on appropriate personal protective equipment (see Section 8). Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate.

Advice on general occupational hygiene

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking.

Conditions for safe storage, including any incompatibilities : Do not store above the following temperature: 80°C (175°F). Odorous and toxic fumes may form from the decomposition of this product if stored at excessive temperatures for extended periods of time. Store in accordance with local regulations. Do not store at temperatures exceeding 113°F (45°C). Store in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10). Use appropriate containment to avoid environmental contamination.

## Section 8. Exposure controls/personal protection

### **Control parameters**

### Occupational exposure limits

None

limits

Appropriate engineering controls

: Use only with adequate ventilation.

**Environmental exposure controls** 

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation.

#### **Individual protection measures**

Hygiene measures

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection Skin protection Hand protection

Recommended: Splash goggles and a face shield, where splash hazard exists.

: 4 - 8 hours (breakthrough time): Nitrile gloves. Recommended: Long sleeved coveralls.

**Body protection** Other skin protection Recommended: Impervious boots.

If ventilation is inadequate, use a NIOSH-certified respirator with an organic vapor cartridge and P95 particulate Respiratory protection

# Section 9. Physical and chemical properties

Relative density : 0.86 to 0.89 **Appearance** 

Physical state : Liquid. **Evaporation rate** <1 (Butyl acetate = 1)

Color Amber. Solubility Insoluble in the following materials: cold water

and hot water

Odor Solubility in water Insoluble Not available. Partition coefficient: n-Odor threshold Not available.

octanol/water Not available.

**Auto-ignition** >260°C (>500°F) Not available. Melting point temperature

Decomposition Not available. **Boiling point** Not available. temperature

SADT Not available. Flash point Closed cup: >226°C (>438.8°F) Viscosity Not available.

**Flammability** Not available. <0.13 kPa (<1 mm Hq) (68°F) Vapor pressure Lower and upper : Not available.

explosive (flammable)

Vapor density Not available.

## Section 10. Stability and reactivity

Reactivity No specific test data related to reactivity available for this product or its ingredients.

Chemical stability The product is stable.

Possibility of hazardous reactions Under normal conditions of storage and use, hazardous reactions will not occur.

Conditions to avoid No specific data.

Incompatible materials Reactive or incompatible with the following materials: oxidizing materials. Hazardous decomposition products : Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## Section 11. Toxicological information

## Information on toxicological effects

## **Acute toxicity**

Product/ingredient name	Result	Species	Dose	Exposure
Triphenyl phosphite	LD50 Oral	Rat	444 mg/kg	-

### Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Triphenyl phosphite	Eyes - Mild irritant	Rabbit	-	24 hours 500 mg	-
	Skin - Severe irritant	Human	-	48 hours 125 mg	-
	Skin - Moderate irritant	Rabbit	-	24 hours 20 mg	-
	Skin - Severe irritant	Rabbit	-	500 mg	-

## **Sensitization**

Skin: There is no data available.Respiratory: There is no data available.

### **Mutagenicity**

There is no data available.

## Carcinogenicity

There is no data available.

## Reproductive toxicity

There is no data available.

### **Teratogenicity**

There is no data available.

## Specific target organ toxicity (single exposure)

There is no data available.

## Specific target organ toxicity (repeated exposure)

There is no data available.

## **Aspiration hazard**

Name	Result
1-Decene, homopolymer, hydrogenated	ASPIRATION HAZARD - Category 1

Information on the likely routes of exposure

**Information on the likely routes of**: Dermal contact. Eye contact. Inhalation. Ingestion.

# Section 12. Ecological information

## **Toxicity**

There is no data available.

## Persistence and degradability

There is no data available.

## **Bioaccumulative potential**

Product/ingredient name	LogPow	BCF	Potential
1-Decene, homopolymer, hydrogenated	>6.5	-	high

## Mobility in soil

Soil/water partition coefficient ( $K_{\text{oc}}$ ) : There is no data available.

Other adverse effects : No known significant effects or critical hazards.

## Section 13. Disposal considerations

### Disposal methods

Disposal of this product, solutions and any by-products should comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

## Section 14. Transport information

DOT IDENTIFICATION NUMBER Not applicable.

Not applicable.

DOT proper shipping name

Not applicable.

Not applicable.

DOT EMER. RESPONSE GUIDE NO. Not applicable

## Section 15. Regulatory information

U.S. Federal regulations

DOT Hazard Class(es)

: TSCA 8(a) PAIR: Siloxanes and Silicones, di-Me; Naphthalene TSCA 8(a) CDR Exempt/Partial exemption: Not determined United States inventory (TSCA 8b): Not determined. Clean Water Act (CWA) 307: Toluene; Naphthalene Clean Water Act (CWA) 311: Toluene; Naphthalene

Clean Air Act Section 602 Class I Substances Clean Air Act Section 602 Class II Substances

: Not listed : Not listed **DEA List I Chemicals (Precursor Chemicals) DEA List II Chemicals (Essential Chemicals)**  : Not listed : Not listed

Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs)

Not listed

# SARA 302/304

#### Composition/information on ingredients

			SARA 302 TPQ		SARA 304 RQ	
Name	%	EHS	(lbs)	(gallons)	(lbs)	(gallons)
Sulphur dioxide	0 - 0.1	Yes.	500	-	500	-

SARA 304 RQ : 3703703.7 lbs / 1681481.5 kg [507657.6 gal / 1921693.1 L]

**SARA 311/312** 

Hazard classifications : Not applicable.

## Composition/information on ingredients

Name	%		Sudden release of pressure	Reactive	Immediate (acute) health hazard	Delayed (chronic) health hazard
Triphenyl phosphite	0.1 - 1	No.	No.	No.	Yes.	No.

**SARA 313** 

: This product (does/not) contain toxic chemicals subject to the reporting requirements of SARA Section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 and of 40 CFR 372.

Product name	CAS number	%
Zinc compounds	Mixture	0.14 as Zinc

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

## State regulations

Massachusetts

: The following components are listed: Distillates (petroleum), hydrotreated light paraffinic

**New York** 

: None of the components are listed.

**New Jersey** 

The following components are listed: Distillates (petroleum), hydrotreated heavy paraffinic; Distillates (petroleum), hydrotreated light paraffinic

Pennsylvania

None of the components are listed.

California Prop. 65

: WARNING: This product contains less than 0.1% of a chemical known to the State of California to cause

WARNING: This product contains less than 1% of a chemical known to the State of California to cause birth

defects or other reproductive harm.

Ingredient name	Cancer	Reproductive	 Maximum acceptable dosage level
Toluene	No.	Yes.	7000 μg/day (ingestion) 13000 μg/day (inhalation)
Sulphur dioxide Naphthalene	-		No. No.

## Section 16. Other information

Revision date : 09/16/2015 Supersedes : NA

Revised Section(s) : NA Prepared by : KMK Regulatory Services Inc.

Notice to reader
THE INFORMATION CONTAINED IN THIS SDS RELATES ONLY TO THE SPECIFIC MATERIAL IDENTIFIED. IT DOES NOT COVER USE OF THAT MATERIAL IN COMBINATION WITH ANY OTHER
MATERIAL OR IN ANY PARTICULAR PROCESS. IN COMPLIANCE WITH 29 C.F.R. 1910,1200(g), CHS HAS PREPARED THIS SDS IN SEGMENTS, WITH THE INTENT THAT THOSE SEGMENTS BE
READ TOGETHER AS A WHOLE WITHOUT TEXTUAL OMISSIONS OR ALTERATIONS. CHS BELIEVES THE INFORMATION CONTAINED HEREIN TO BE ACCURATE, BUT MAKES NO
REPRESENTATION, GUARANTEE, OR WARRANTY, EXPRESS OR IMPLIED, ABOUT THE ACCURACY, RELIABILITY, OR COMPLETENESS OF THE INFORMATION OR ABOUT THE FITNESS OF
CONTENTS HEREIN FOR EITHER GENERAL OR PARTICULAR PURPOSES. PERSONS REVIEWING THIS SDS SHOULD MAKE THEIR OWN DETERMINATION AS TO THE MATERIAL'S
SUITABILITY AND COMPLETENESS FOR USE IN THEIR PARTICULAR APPLICATIONS.