CHS

SAFETY DATA SHEET

Section 1. Identification

CHS Inc. Transportation Emergency (CHEMTREC) : 1-800-424-9300

P.O. Box 64089 Technical Information 1-651-355-8443
Mail Station E573

St. Paul, MN 55164-0089 SDS Information : 1-651-355-8445

Product name : Commercial Vacuum Pump Oil SDS no. : 1466-088874-HL

Common name : VACUUM PUMP OIL : 10/06/2020

Chemical name : Lubricating oil. Chemical formula : Mixture

Chemical family : Hydrocarbon.

Relevant identified uses of the substance or mixture and uses advised against

Lubricating oil.

Section 2. Hazards identification

OSHA/HCS status : This product is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR

1910.1200

Classification of the substance or

mixture

: Not a dangerous substance or mixture according to the Globally Harmonized System (GHS).

GHS label elements

Signal word : No signal word.

Hazard statements: No known significant effects or critical hazards.

Precautionary statements

General : Read label before use. Keep out of reach of children. If medical advice is needed, have product container or

label at hand.

Prevention: Not applicable.Response: Not applicable.Storage: Not applicable.Disposal: Not applicable.

Hazards not otherwise classified

(HNOC)

: None known.

Section 3. Composition/information on ingredients

 Substance/mixture
 : Mixture

 Chemical name
 : Lubricating oil.

 Other means of identification
 : VACUUM PUMP OIL

Chemical Name	CAS No	Weight %
Lubricating oils (petroleum), clay-treated spent	64742-50-3	30 – 60
Distillates, petroleum, hydrotreated heavy paraffinic	64742-54-7	30 – 60
Proprietary Additives	PROPRIETARY	0.1 – 1.0

The specific identity and exact concentration of any included proprietary additive(s) is withheld as a trade secret.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact : If material comes in contact with the eyes, immediately wash the eyes with large amounts of water for 15

minutes, occasionally lifting the lower and upper lids. Get medical attention.

Inhalation : If person breathes in large amounts of material, move the exposed person to fresh air at once. If breathing has

stopped, perform artificial respiration. Keep the person warm and at rest. Get medical attention as soon as

possible.

Skin contact : If the material comes in contact with the skin, wash the contaminated skin with soap and water promptly. If the

material penetrates through clothing, remove the clothing and wash the skin with soap and water promptly. If

irritation persists after washing, get medical attention immediately.

Ingestion : If material has been swallowed, do not induce vomiting. Get medical attention immediately.

Most important symptoms/effects, acute and delayed

Potential acute health effects

Eve contact : This product is not classified as an eye irritant.

Inhalation : This product is not classified as acutely toxic by inhalation. Skin contact : This product is not classified as acutely toxic by the dermal route. Ingestion : This product is not classified as acutely toxic by the oral route.

Over-exposure signs/symptoms

Eve contact : Adverse symptoms may include the following: pain or irritation, watering, redness. Inhalation : Adverse symptoms may include the following: respiratory tract irritation, coughing.

Skin contact : Adverse symptoms may include the following: irritation, redness.

Ingestion : No known significant effects or critical hazards.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician : Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested

or inhaled.

Specific treatments : No specific treatment.

Protection of first-aiders : No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media Use water spray to cool fire exposed surfaces and to protect personnel. Foam, dry chemical or

water spray (fog) to extinguish fire.

Unsuitable extinguishing media

: None known.

Specific hazards arising from the chemical Hazardous thermal decomposition products : Toxic fumes gases or vapors may evolve on burning.

: No specific data.

Special protective actions for fire-fighters

: When fighting fires wear full turnout gear and self contained breathing apparatus. Water may cause splattering. Material floats on water.

Special protective equipment for fire-fighters

Notapplicable.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

: Keep unnecessary and unprotected personnel from entering. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

Methods and materials for containment and cleaning up

Spill

: Contain with dikes or absorbent to prevent migration to sewers/streams. Take up small spill with dry chemical absorbent; large spills may require pump or vacuum prior to absorbent. May require excavation of severely contaminated soil.

Section 7. Handling and storage

Precautions for safe handling

Protective measures : Put on appropriate personal protective equipment (see Section 8). Do not get in eyes or on skin or clothing.

Do not breathe vapor or mist. Do not ingest. Use only with adequate ventilation. Wear appropriate respirator

when ventilation is inadequate.

Advice on general occupational

hygiene

: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking.

Conditions for safe storage, including any incompatibilities : Do not store above the following temperature: 80°C (175°F). Odorous and toxic fumes may form from the decomposition of this product if stored at excessive temperatures for extended periods of time. Store in accordance with local regulations. Do not store at temperatures exceeding 113°F (45°C). Store in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10). Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Control parameters

Exposure limits for purified mineral oil as mist: US-ACGIH reports: TWA-5 mg/m³ and STEL-10 mg/m³: **Exposure guidelines** US-OSHA PEL 5 mg/m³.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Distillates, petroleum, hydrotreated heavy paraffinic 64742-54-7 Lubricating oils (petroleum), clay-treated spent 64742-50-3	5 mg/m³ (As oil mist) STEL: 10 mg/m3 as Oil Mist		

Appropriate engineering controls

: Use only with adequate ventilation.

Environmental exposure controls

: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation.

Individual protection measures

Hygiene measures

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection

: Recommended: Splash goggles and a face shield, where splash hazard exists.

Skin protection

Hand protection : 4 - 8 hours (breakthrough time): Nitrile gloves. **Body protection** : Recommended: Long sleeved coveralls. : Recommended: Impervious boots.

Other skin protection **Respiratory protection**

: If ventilation is inadequate, use a NIOSH-certified respirator with an organic vapor cartridge and P95 particulate filter.

Section 9. Physical and chemical properties

Appearance		Relative density	: 0.89 to 0.91		
Physical state	: Liquid.	Evaporation rate	: <1 (Butyl acetate = 1)		
Color	: Green.	Solubility	: Insoluble in the following materials: cold water and hot water.		
Odor	: Mild.	Solubility in water	: Insoluble		
Odor threshold	: Not available.	Partition coefficient: n-	: Not available.		
рН	: Not available.	octanol/water			
Melting point	: Not available.	Auto-ignition temperature	: >260°C (>500°F)		
Boiling point	: Not available.	Decomposition temperature	: Not available.		
Flash point	: Closed cup: >205°C (>401°F)	SADT	: Not available.		
Flammability	: Not available.	Viscosity	: Not available.		
Lower and upper	: Not available.	Vapor pressure	: <0.13 kPa (<1 mm Hg) (68°F)		
explosive (flammable) limits		Vapor density	: Not available.		

Section 10. Stability and reactivity

Reactivity : No specific test data related to reactivity available for this product or its ingredients.

Chemical stability : The product is stable.

Possibility of hazardous reactions : Under normal conditions of storage and use, hazardous reactions will not occur.

Conditions to avoid : No specific data.

Incompatible materials : Reactive or incompatible with the following materials: oxidizing materials.

Hazardous decomposition products: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
There is no data available	-	-	-	-

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
There is no data available	-	-	-	-	-

Sensitization

Skin : There is no data available. Respiratory : There is no data available.

Mutagenicity

There is no data available.

Carcinogenicity

There is no data available.

Reproductive toxicity

There is no data available.

Teratogenicity

There is no data available.

Specific target organ toxicity (single exposure)

There is no data available.

Specific target organ toxicity (repeated exposure)

There is no data available.

Aspiration hazard

There is no data available.

exposure

Information on the likely routes of : Dermal contact. Eye contact. Inhalation. Ingestion.

Section 12. Ecological information

Toxicity

There is no data available.

Persistence and degradability

There is no data available.

Bioaccumulative potential

Product/ingredient name	LogP _{ow}	BCF	Potential
There is no data available	-	-	-

Mobility in soil

Soil/water partition coefficient (Koc) : There is no data available.

Other adverse effects : No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods

: Disposal of this product, solutions and any by-products should comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

Section 14. Transport information

DOT IDENTIFICATION NUMBER Not applicable. **DOT proper shipping name** Not applicable.

DOT Hazard Class(es) Not applicable. PG Not applicable. DOT EMER. RESPONSE GUIDE NO. Not applicable

Section 15. Regulatory information

U.S. Federal regulations : TSCA 4(a) final test rules: Not applicable

TSCA 8(a) PAIR: Not applicable

TSCA 8(a) CDR Exempt/Partial exemption: Not determined

United States inventory (TSCA 8b): All components are listed or exempted.

Clean Water Act (CWA) 307: Toluene; Zinc O,O,O',O'-tetrakis(1,3-dimethylbutyl) bis(phosphorodithioate)

Clean Water Act (CWA) 311: Toluene; Vinyl acetate;

Clean Air Act Section 602 Class I Substances : Not listed DEA List I Chemicals (Precursor Chemicals) : Not listed Clean Air Act Section 602 Class II Substances : Not listed DEA List II Chemicals (Essential Chemicals) : Not listed

Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs) : Not listed

SARA 302/304

Composition/information on ingredients

			SARA 302 TPQ		SARA 304 RQ	
Name	Concentration in product, % or parts per million	CAS Number	(lbs)	(kilograms)	(lbs)	(kilograms)
Vinyl acetate	< 1 ppm	108-05-4	1000	454	5000	2270
Phenol	< 0.5 ppm	108-95-2	500	227	1000	454
Maleic anhydride	< 2 ppm	108-31-6	-	-	5000	2270
Toluene	< 7 ppm	108-88-3	-	-	1000	454

SARA 311/312 Hazard Categories

Acute Health HazardNoChronic Health HazardNoFire HazardNoSudden release of pressure hazardNoReactive HazardNo

Composition/information on ingredients

Name	%	hazard	Sudden release of pressure	Reactive	(acute) health	Delayed (chronic) health hazard
-	-	-	-	-	-	-

SARA 313

: This product contains toxic chemicals subject to the reporting requirements of SARA Section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 and of 40 CFR 372.

Product name	CAS number	%
Zinc alkyldithiophosphate	Confidential	< 0.4%

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

State regulations

Massachusetts: None of the components are listed.New York: None of the components are listed.

New Jersey : The following components are listed: Distillates (petroleum), hydrotreated heavyparaffinic VACUUM PUMP OIL

Pennsylvania: None of the components are listed.


California Prop. 65:

▲ WARNING: This product can expose you to chemicals including ethyl acrylate (< 300 ppb) which is known to the State of California to cause cancer.

WARNING: This product can expose you to chemicals including toluene (< 10 ppm) which is known to the State of California to cause birth defects or other reproductive harm.

Ingredient Name	Cancer	Reproductive	No Significant Risk Level	Maximum acceptable dosage level
Benzene	Yes	No	Yes	6.4 µg/day (ingestion) 13 µg/day (inhalation)
Ethyl acrylate	Yes	No	No	N.A.
Toluene	No	Yes	Yes	7000 μg/day (ingestion)

Section 16. Other information



10/06/2020

Issue date
Revision date
NA

Revision note Not applicable Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet